



Head office

Suite B 10th Floor Tongbao Building
NO.1-3 Chang qing Road,
Xiamen, China
T 86-592-5126888
E sales@ydlstone.com

Factory

Lianhe Industrial Area,Xiang'an
District,Xiamen,China
T 86-592-7089868



www.ydlstone.com



Inspired by Nature.
Designed for life.



Dimensions

YDL Stone are available in a large-scale size, perfect for a seamless kitchen experience.

Length: 3230 mm +/- 10mm
Width: 1630 mm +/- 10mm
Thickness: 20mm +/- 1 mm

Weight


20mm: 50 kg per m2

Jumbo Size Slab




Edges

Selecting the ideal edge profile is crucial for enhancing your design style and aesthetic. It provides the essential finishing touches, perfectly complementing and optimizing your overall design.



Mitred



Aris

Why Choose YDL Quartz Stone

Natural Quartz

YDL Quartz stone is produced by using natural quartz (approximately 93%) with high-quality polymer resins (approximately 7%) and colour pigments, wherein the mixed materials are compacted under intense vibration, vacuum, and pressure into dense slabs. Advanced processing technology brings marble-like colour, enduring shine, super hardness and porous free quality which prevent it from any liquid penetration. Its antipollution texture has rarely been matched by other solid surfaces or natural stone; therefore it is widely used in the field of architectural decoration.

YDL Stone has been tested by the most respected industry bodies and environmental organisations to achieve the following certifications.



Product Features



WIDE RANGE OF COLOURS



NATURAL QUARTZ



SCRATCH RESISTANT



WATER RESISTANCE



HIGH STAIN RESISTANCE



HIGH ACIDITY RESISTANCE




LOW MAINTENANCE



CREATIVE PATTERN

Builder Range



Classic White



Mondo Sand



Winter White



Typhoon



Jasmine



Silver Star Black



Star Burst



Silver Star White


Slab Size: 3230mm×1630mm Slab Thickness: 20mm

Surface Finish: Polished

BM means Book-Match slab is available.



Deluxe Range



Alaska



Smokey Grey



Rosemee



Protoss



Arctic White



Konkurito



Sabia



Fresco



Slab Size: 3230mm×1630mm Slab Thickness: 20mm

Surface Finish: Polished

BM means Book-Match slab is available.



Slab Size: 3230mmx1630mm Slab Thickness: 20mm

Surface Finish: Polished



Milky Way



Bianco Carrara



Shadow Grey



Acqua Mare



Cloudy Grey



Misty Dusk

BM means Book-Match slab is available.




Premium Plus Range



Kalala Bianco



Giusto



Calacatta Azuro - BM



Calacatta Pietra - BM



Calacatta Classico - BM



Calacatta Combo

Slab Size: 3230mm×1630mm Slab Thickness: 20mm

Surface Finish: Polished



Aurum White



Angel Falls



Summer Breeze



Nuvola Snow

BM means Book-Match slab is available.



Ultimate Range



Jett Graphite



Golden Striato



Bella Oro



Jade Sky



Chantilly



Astoria



Statuario Enzo



Blanco Verona - BM



Ice Drift - BM



Ultimo



Cumulus Cloud



Venatino



Vene Rose

Slab Size: 3230mm×1630mm Slab Thickness: 20mm

Surface Finish: Polished

BM means Book-Match slab is available.



Special Edition



Luca Del Mare



Super Arabescato



Eos Illumina



Blanco Divino



Mount Triumph



Supernova



Alpina Ash



Mahal Ivory

Slab Size: 3230mm×1630mm Slab Thickness: 20mm

Surface Finish: Polished

BM means Book-Match slab is available.



Care & Maintenance of YDL Stone

YDL Stone is designed to offer high performance with very little maintenance to keep the surface looking like new. For every day, routine cleaning of YDL Stone we recommend wiping your bench top with warm soapy water (a pH neutral household liquid detergent, or a mild detergent) and a damp cloth. As YDL Stone is non-porous product, it will keep its glossy and smooth surface without polishing and it never needs sealing or waxing. YDL Stone does not recommend attempting to polish the surface on your own and avoid prolonged rubbing in one spot when cleaning. Rinse well with water. Do not use bleach or gumption on or near a YDL Stone surface.

The Three Ways to Clean Your YDL Stone Surface

- Light Cleaning: Wipe the surface with warm, soapy water using a pH-neutral liquid detergent and a clean, damp cloth.
- Handling Marks and Spills: Use YDL Stone Cleaner or a similar product.

Express your interest with YDL Stone

We'd like to hear from you. For more product information or to request a product sample, please visit our website.

www.ydlstone.com

Food & Catering Preparation

YDL Stone always recommend cutting your food on an appropriate chopping board and never directly on the YDL Stone surface to avoid damaging kitchen knives or the surface of your bench top.

How Tough?

YDL Stone can be permanently damaged by exposure to strong chemical reactions and excessive weight. Avoid excessive weight being placed on your bench top, such as trades people standing on the bench top while doing other work. Avoid exposure to products with high alkaline/pH levels such as oven cleaner, paint strippers, paint removers, bleach and nail polish remover. Rinse immediately with clean water to neutralize the effect and then follow usual cleaning procedure.

For Interior Applications Only

YDL Stone should not be used outdoors. (where exposure to direct sunlight may result in a discoloration and it is therefore recommended that exposure to direct sunlight is limited).

Heat Resistance

Although YDL Stone has high heat resistance to tolerate brief exposures to moderately hot temperatures, excessive prolonged direct contact with, or radiated heat may result in damage or discoloration to your YDL Stone due to thermal shock. We do not recommend placing any hot kitchen wares (hot oven trays, pans, hot pots, electric frying pans, air fryers etc.) directly from the hotplate or out of the oven onto the surface of YDL Stone. We always recommend the use of a hot pad or trivet to place hot items on.

